

SAFETY DATA SHEET

1. Identification

Product identifier Soudacryl Paint

Other means of identification None.

Recommended use Acyrlic latex caulk
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Soudal Chemical Products Inc.

Address 95 Avenue Lindsay

Dorval, QC H9P 2S6

Canada

Telephone +1-(514)-497-1016
E-mail info.canada@soudal.com

Emergency phone number CHEMTREC +1-(800)-424-9300

Supplier See above.

2. Hazard identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of container in accordance with local, regional, national and international regulations.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Solvent naphtha (petroleum),		64742-88-7	1 - 5 *
medium aliphatic			

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments *CANADA GHS: The exact percentage (concentration) of composition has been withheld as a

trade secret.

4. First-aid measures

InhalationIf symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.Skin contactFlush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.Eye contactFlush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical

attention if irritation persists.

Ingestion Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to

reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing.

Get medical attention if symptoms occur.

#31920 Page: 1 of 7 Issue date 08-April-2020

Most important symptoms/effects, acute and delayed

This material is not expected to be harmful.

Indication of immediate medical attention and special treatment needed

Treat patient symptomatically.

General information

IF exposed or concerned: Get medical attention. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide.

Unsuitable extinguishing

Not available.

media

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Hazardous combustion products

May include and are not limited to: Oxides of carbon.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

Use water spray to cool unopened containers.

equipment/instructions
Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the

Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk. Cured material can be scraped up and disposed of. Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS

Environmental precautions

Do not discharge into lakes, streams, ponds or public waters.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment. Provide adequate ventilation. Avoid prolonged exposure. Observe good industrial hygiene practices. Wash thoroughly after handling. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Avoid freezing or extended storage in high temperature. Store away from incompatible materials (see Section 10 of the SDS). Store locked up.

8. Exposure controls/Personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form	
Solvent naphtha (petroleum), medium	TWA	200 mg/m3	Non-aerosol.	
aliphatic (CAS 64742-88-7)				

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form	
Solvent naphtha (petroleum), medium aliphatic (CAS 64742-88-7)	TWA	200 mg/m3	Non-aerosol.	

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Tanada mamena Tee (registrice), in trompiaco Carety in a realitime (registrice)				
Components	Туре	Value	Form	
Solvent naphtha (petroleum), medium	TWA	200 mg/m3	Non-aerosol.	
aliphatic (CAS 64742-88-7)				

#31920 Page: 2 of 7 Issue date 08-April-2020

Canada, Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Form Components Value Type Solvent naphtha **TWA** 200 mg/m3 Non-aerosol.

(petroleum), medium aliphatic (CAS 64742-88-7)

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components **Type** Value

TWA Solvent naphtha 1590 mg/m3

(petroleum), medium aliphatic (CAS 64742-88-7)

400 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Canada - Alberta OELs: Skin designation

Solvent naphtha (petroleum), medium aliphatic (CAS Can be absorbed through the skin.

64742-88-7)

Canada - British Columbia OELs: Skin designation

Solvent naphtha (petroleum), medium aliphatic (CAS Can be absorbed through the skin.

64742-88-7)

Canada - Manitoba OELs: Skin designation

Solvent naphtha (petroleum), medium aliphatic (CAS Can be absorbed through the skin. 64742-88-7)

Canada - Ontario OELs: Skin designation

Can be absorbed through the skin. Solvent naphtha (petroleum), medium aliphatic (CAS

64742-88-7)

Canada - Saskatchewan OELs: Skin designation

Solvent naphtha (petroleum), medium aliphatic (CAS Can be absorbed through the skin.

64742-88-7)

US ACGIH Threshold Limit Values: Skin designation

Solvent naphtha (petroleum), medium aliphatic (CAS Can be absorbed through the skin.

64742-88-7)

Appropriate engineering

Ensure adequate ventilation.

controls

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields. Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Confirm with a reputable supplier first.

Other As required by employer code.

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respiratory protection

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practices. Wash hands before

breaks and immediately after handling the product. When using do not eat or drink.

9. Physical and chemical properties

Paste. **Appearance** Physical state Solid. Form Paste

Colour Not available. Odour Mild acrylic **Odour threshold** Not available.

pН

Melting point/freezing point Not available. Initial boiling point and boiling 100 °C (212 °F)

range

Flash point Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not available.

#31920 Page: 3 of 7 Issue date 08-April-2020 Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper

(%)

Not available.

Not available. Vapour pressure Vapour density Not available. Not available. Relative density

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available. Not available. **Decomposition** temperature Not available. Viscosity

Other information

14.35 lbs/gal Density **Explosive properties** Not explosive. Oxidising properties Not oxidising.

Specific gravity 1.72

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Oxidizers.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not mix

with other chemicals.

Incompatible materials

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon.

11. Toxicological information

Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Skin contact Prolonged skin contact may cause skin irritation. Eve contact Direct contact with eyes may cause temporary irritation. Ingestion May cause stomach distress, nausea or vomiting.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Test Results Components Species

Solvent naphtha (petroleum), medium aliphatic (CAS 64742-88-7)

Acute

Dermal

LD50 Rabbit > 4000 mg/kg, 24 Hours

3000 mg/kg, NIOSH

Inhalation

LC50 Rat > 6 mg/L, 4 Hours, ECHA

> > 5.7 mg/L, 4 Hours, ECHA > 5.3 mg/L, 4 Hours, ECHA

Components **Species Test Results** > 5.3 mg/L, 4 Hours, ECHA > 5.2 mg/L, 4 Hours, ECHA > 4.6 mg/L, 4 Hours, ECHA > 4.5 mg/L, 4 Hours, ECHA 5.3 mg/I/4h, NIOSH Oral LD50 Rat > 20000 mg/kg > 5000 mg/kg, NIOSH Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. **Exposure minutes** Not available. Not available. Erythema value Oedema value Not available. Direct contact with eyes may cause temporary irritation. Serious eye damage/eye irritation Corneal opacity value Not available. Not available. Iris lesion value Not available. Conjunctival reddening value Not available. Conjunctival oedema value Not available. Recover days Respiratory or skin sensitisation Not a respiratory sensitizer. Respiratory sensitisation Not classified. Skin sensitisation No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity mutagenic or genotoxic. Carcinogenicity Contains titanium dioxide in a non respirable form. ACGIH Carcinogens Solvent naphtha (petroleum), medium aliphatic (CAS A3 Confirmed animal carcinogen with unknown relevance to 64742-88-7) humans. Canada - Manitoba OELs: carcinogenicity Solvent naphtha (petroleum), medium aliphatic (CAS Confirmed animal carcinogen with unknown relevance to humans. 64742-88-7) IARC Monographs. Overall Evaluation of Carcinogenicity Solvent naphtha (petroleum), medium aliphatic (CAS Volume 47 - 3 Not classifiable as to carcinogenicity to humans. 64742-88-7) Reproductive toxicity Not classified. Specific target organ toxicity -Not classified. single exposure Specific target organ toxicity -Not classified. repeated exposure **Aspiration hazard** Not an aspiration hazard. **Chronic effects** Prolonged exposure may cause chronic effects. **Further information** Not available. 12. Ecological information See below **Ecotoxicity** Ecotoxicological data Components **Species Test Results** Solvent naphtha (petroleum), medium aliphatic (CAS 64742-88-7) Crustacea EC50 Daphnia 100 mg/L, 48 Hours Aquatic EC50 Water flea (Daphnia pulex) 2.7 - 5.1 mg/L, 48 hours Crustacea Fish LC50 8.8 mg/L, 96 hours Rainbow trout, donaldson trout

(Oncorhynchus mykiss)

Components **Species Test Results**

8.8 mg/L, 96 hours

Persistence and degradability

Bioaccumulative potential

No data is available on the degradability of any ingredients in the mixture.

No data available. Mobility in soil Not available. Mobility in general

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Local disposal regulations

Hazardous waste code

Dispose of contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Contaminated packaging

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

General

Canada: TDG Proof of Classification: Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

IATA/ICAO (Air)

Not regulated as dangerous goods.

IMDG (Marine Transport)

Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Solvent naphtha (petroleum), medium aliphatic (CAS 1 TONNES

64742-88-7)

Export Control List (CEPA 1999, Schedule 3)

Not listed

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS status Controlled

International regulations

Inventory status


Country(s) or region **Inventory name** On inventory (yes/no)* Canada Domestic Substances List (DSL) Yes Canada Non-Domestic Substances List (NDSL) No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

LEGEND	
Severe Serious	4
Moderate	2
Slight	1
Minimal	0

HEALTH / 0
FLAMMABILITY 0
PHYSICAL HAZARD 0
PERSONAL PROTECTION X



Issue date Revision date Version No. 08-April-2020 08-April-2020

01

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Prepared by Dell Tech www.delltech.com Phone: 519-858-5021