

SAFETY DATA SHEET

1. Identification

Product identifier Soudal T-Rex Power

Other means of identification None.

Recommended use sealant

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Soudal Chemical Products Inc.

Address 95 Avenue Lindsay

Dorval, QC H9P 2S6

Canada

Telephone +1-(514)-497-1016
E-mail info.canada@soudal.com

Emergency phone number CHEMTREC +1-(800)-424-930

Supplier See above.

2. Hazard identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2

Sensitization, skin Category 1
Reproductive toxicity Category 1B

Environmental hazards Not classified.

Label elements



Signal word Danger

Hazard statement

Causes serious eye irritation.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

Precautionary statement

Prevention Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe mist or vapour. Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, protective clothing, eye protection and face protection.

Response IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention.

Take off contaminated clothing and wash it before reuse. Specific treatment (see information on

this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

IF exposed or concerned: Get medical attention.

Storage Store locked up.

Disposal Dispose of container in accordance with local, regional, national and international regulations.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

#31909 Page: 1 of 7 Issue date 08-April-2020

Chemical name	Common name and synonyms	CAS number	%
1,2-Ethanediamine, N-[3-(trimethoxysilyl)propyl]-		1760-24-3	0.1 - 1 *
Dibutyltin bis(acetylacetonate)		22673-19-4	0.1 - 1 *
All concentrations are in percent by	y weight un l ess ingredient is a gas. Gas concer	ntrations are in percent by volu	me.
Composition comments	*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.		
	4. First-aid measures		
Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.		
Skin contact	IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention. Tak off contaminated clothing and wash it before reuse.		
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.		
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Get medical attention if symptoms occur.		
Most important symptoms/effects, acute and delayed	Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash.		
Indication of immediate medical attention and special treatment needed	Symptoms may be delayed.		
General information	If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Avoid contact with eyes and skin. Keep out of reach of children.		
	5. Fire-fighting measure	es	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carb	on dioxide.	
Unsuitable extinguishing media	Not available.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.		
Hazardous combustion products	May include and are not limited to: Oxides of carbon.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Fire fighting equipment/instructions	Move containers from fire area if you can do s	so without risk.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.		
General fire hazards	No unusual fire or explosion hazards noted.		
	6. Accidental release meas	sures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not breathe mist or vapour. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.		
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Cured material can be scraped up and disposed of. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS. Prevent entry into waterways, sewer, basements or confined areas.		
Environmental precautions	Avoid discharge into drains, water courses or		
	7. Handling and storag	e	
Precautions for safe handling	Avoid contact with eyes, skin, and clothing. W	/ear appropriate personal prote	ective equipment.

Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Provide adequate ventilation. Observe good industrial hygiene practices. Wash thoroughly after handling. When using do not eat or drink.

Store locked up. Store away from incompatible materials (see Section 10 of the SDS). Keep out of Conditions for safe storage, reach of children. including any incompatibilities

#31909 Page: 2 of 7 Issue date 08-April-2020

8. Exposure controls/Personal protection

Occupational exposure limits **US. ACGIH Threshold Limit Values** Value Components Type STEL 0.2 mg/m3 Dibutyltin bis(acetylacetonate) (CAS 22673-19-4) TWA 0.1 mg/m3 Canada, Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) Components Type Value DibutyItin **STEL** 0.2 mg/m3 bis(acetylacetonate) (CAS 22673-19-4) TWA 0.1 mg/m3 Canada, British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) Components Value Type DibutyItin STEL 0.2 mg/m3 bis(acetylacetonate) (CAS 22673-19-4) **TWA** 0.1 mg/m3 Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) Value Components STEL Dibutyltin 0.2 mg/m3 bis(acetylacetonate) (CAS 22673-19-4) TWA 0.1 mg/m3 Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) Components Value **Type** DibutyItin TWA 0.1 mg/m3 bis(acetylacetonate) (CAS 22673-19-4) Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety) Components Value Type Dibuty|tin STEL 0.2 mg/m3 bis(acetylacetonate) (CAS 22673-19-4) **TWA** 0.1 mg/m3 Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) Components Type Value DibutyItin 15 minute 0.2 mg/m3 bis(acetylacetonate) (CAS 22673-19-4) 8 hour 0.1 mg/m3 No biological exposure limits noted for the ingredient(s). **Biological limit values Exposure guidelines** Canada - Alberta OELs: Skin designation Dibutyltin bis(acetylacetonate) (CAS 22673-19-4) Can be absorbed through the skin. Canada - British Columbia OELs: Skin designation Dibutyltin bis(acetylacetonate) (CAS 22673-19-4) Can be absorbed through the skin. Canada - Manitoba OELs: Skin designation Dibutyltin bis(acetylacetonate) (CAS 22673-19-4) Can be absorbed through the skin. Canada - Ontario OELs: Skin designation Dibutyltin bis(acetylacetonate) (CAS 22673-19-4) Can be absorbed through the skin. Canada - Quebec OELs: Skin designation Dibutyltin bis(acetylacetonate) (CAS 22673-19-4) Can be absorbed through the skin. Canada - Saskatchewan OELs: Skin designation Dibutyltin bis(acetylacetonate) (CAS 22673-19-4) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Dibutyltin bis(acetylacetonate) (CAS 22673-19-4) Can be absorbed through the skin.

Appropriate engineering

controls

Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Confirm with a reputable supplier first.

As required by employer code. Other

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respiratory protection

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

Wash hands before breaks and immediately after handling the product. Handle in accordance with

good industrial hygiene and safety practices. When using, do not eat, drink or smoke.

9. Physical and chemical properties

Paste. **Appearance Physical state** Liquid. **Form** Paste

Not available. Colour Not available. Odour Not available. Odour threshold Not available. Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Flash point

Not available.

Not available. **Evaporation rate** Not applicable. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

Not available. Explosive limit - lower (%) Not available.

Explosive limit - upper (%)

Vapour pressure Not available. Not available. Vapour density Relative density Not available.

Solubility(ies)

Not available. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition** temperature Not available. **Viscosity** Not available.

Other information

Explosive properties Not explosive. **Oxidising properties** Not oxidising.

1.6 Specific gravity

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

#31909 Page: 4 of 7 Issue date 08-April-2020 Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not mix

with other chemicals.

Incompatible materials

Hazardous decomposition

products

Oxidizers. strong acids and strong bases

May include and are not limited to: Oxides of carbon.

11. Toxicological information

Information on likely routes of exposure

InhalationProlonged inhalation may be harmful.Skin contactMay cause an allergic skin reaction.Eye contactCauses serious eye irritation.

Ingestion May cause stomach distress, nausea or vomiting.

Symptoms related to the physical, chemical and

Iris lesion value

value

Conjunctival reddening

Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and

blurred vision.

toxicological characteristics May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity

Acute toxicity		
Components	Species	Test Results
1,2-Ethanediamine, N-[3-(trimethe	oxysilyl)propyl]- (CAS 1760-24-3)	
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
		> 16 ml/kg, 24 Hours, ECHA
	Rat	> 2009 mg/kg, 24 Hours, ECHA
Inhalation		
LC50	Rat	1.5 - 2.4 mg/L, 4 Hours, ECHA
Oral		
LD50	Rat	2574 mg/kg, ECHA
		2413 mg/kg, ECHA
		2295 mg/kg, ECHA
		1897 mg/kg, ECHA
		7.5 ml/kg, ECHA
Dibutyltin bis(acetylacetonate) (C	AS 22673-19-4)	G
Acute	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Dermal		
LD50	Rabbit	3000 mg/kg, ACIMA
	Rat	> 2000 mg/kg, 24 Hours, ECHA
Inhalation		
LC50	Not available	
Oral		
LD50	Rat	2431 mg/kg, ACIMA
		1864 mg/kg, ECHA
Skin corrosion/irritation	Prolonged skin contact may cause tempor	ary irritation.
Exposure minutes	Not available.	•
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Corneal opacity value	Not available.	

#31909 Page: 5 of 7 Issue date 08-April-2020

Not available.

Not available.

Not available. Conjunctival oedema value Not available. Recover days

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitizer.

Skin sensitisation May cause an allergic skin reaction.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Not classified. Carcinogenicity

May damage fertility or the unborn child. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard**

Prolonged inhalation may be harmful. **Chronic effects**

Not available. **Further information**

12. Ecological information

Ecotoxicity Not available.

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Mobility in soil No data available. Mobility in general Not available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

General Canada: TDG Proof of Classification: Classification Method: Classified as per Part 2, Sections

2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical

name and the classification of the product will appear below.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS status Controlled

International regulations

Inventory status

Country(s) or region Inventory name On inventory (yes/no)*

Canada Domestic Substances List (DSL) Yes

#31909 Page: 6 of 7 Issue date 08-April-2020 Canada Non-Domestic Substances List (NDSL)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)


16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

FLAMMABILITY 1

PHYSICAL HAZARD 0

PERSONAL PROTECTION X



No

Issue date Revision date 08-April-2020 08-April-2020

Version No.

01

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Prepared by

Dell Tech www.delltech.com Phone: 519-858-5021