

Section 1. Identification

Product Name: CEILING PAINT

Product code: PE700157 • PE700158

Other means of identification: Flat Latex 100% Acrylic Paint White

Product form: Paint

Relevant identified uses of the mixture and uses advised against: Recommended for interior walls and ceiling that have been

properly primed.

Manufacturer: PEINTURE MICCA INC.

1740, BOUL ST-ELZÉAR OUEST, CHOMEDEY, LAVAL (QUÉBEC) H7 L 3N 2.. CANADA

Emergency telephone number of the company: CANUTEC: 613-996-6666

Telephone Number Regulatory Information: 450-686-1740

Telephone Number Transportation Emergency 1 800 188 CAN-UTEC (226-8832,613-9996-6666 or Cell *36

Section 2. Hazards identification

Classification of the mixture: This material is considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200).

Signal word: WARNING

GHS Label elements:

Hazard pictograms : No synmbol

<u>Hazard statements</u>: Not classified



Precautionary statements:

General:

No hazards which require special first aid measures.

Do not handle until all safety precautions have been read and understood. Wear appropriate protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust. In case of inadequate ventilation wear respiratory protection.

Keep out of reach of children. Keep cool. Protect from sunlight. Keep container tightly closed. Keep only in original container.

Wash hands thoroughly after handling..Do not eat, drink or smoke when using this product.

Do not get in eyes, on skin, or on clothing.

If in eyes:Rinse cautiously with water for several minutes and remove contacts if present and easy todo. continue rinsing and get medical attention if eye irritation persists.

If on skin: Wash with plenty of soap and water.

If swallowed:Rinse mouth.DO NOT INDUCE VOMITING.Immediately call a POISON

CENTER/Doctor.

Dispose of unused contents, container, and other contaminated wastes in accordance with local, state, federal and provincial regulations.

Hazards not otherwise classified: N/A

Section 3. Composition/information on ingredients

Ingredients	CAS Number	Range/ WT %
Titanium dioxide	13463-67-7	10-20

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentration applicable, are classified as hazardous to health or the environment and hence require reporting in this section

Occupational exposure limits, if available, are listed in section 8.



Section 4. First aid measures

Description of necessary first aid measures:

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical

attention.

Inhalation:

Safe in case of symptoms, move victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, get medical attention.

Skin contact: Flush contaminated skin with plenty of water and eliminate it wherever possible paint continue

to rinse for at least 10 minutes . Get medical attention if irritation persists.

Ingestion: Wash out with water. Remove dentures if any .Remove victim to fresh air and keep at rest in a

position

comfortable for breathing. If material has been swallowed and the exposed person is conscious ,give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention Never give anything by mouth to an unconscious person. If an unconscious, place in recov-

ery position and get medical attention immediately.

Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms and effects, important:

Indication of immediate medical attention and special treatment needed. If

necessary

The most important known symptoms and effects are described in the labelling (see section 2) and / or in section 11.

Notes to physician: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have

been ingested or inhaled

Specific treatments: No specific treatment.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitabale training. If it is sus-

pected

that fumes are still present, the rescuer should wear an appropriate mask or self-contained

breathing

apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscita-

tion.

Wash contaninated clothing throughly with water before removing it, or wear gloves.



Section 5. Fire-fighting measures

Extinguishing media

Flammability: Liquid non-flammable and non-combustible.

Auto-Ignition Temp: N/A
Flash Point (Setaflash C.C.): N/A

Explosion limits: LFL: NA UFL: NA

Suitable extinguishing media: Foam, water fog, dry chemical and carbon dioxide.

Special fire-fighting procedures: N/A

Fire or explosive hazards: None are expected

Section 6. Accidental release measures

Personal precations, protective equipement and emmergency procedures

For non-emergency: No action shall be taken involving any personal risk or without suitable training

Provide adequate ventilation. Put an appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information in section

8 on suitable and unsuitable materials See also the information in for non emergency personnel.

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and

sewers.if that is possible no danger.

Methods and materials for con-

tainment and cleaning up:

Provide adequate ventilation. Absorb or cover with dry earth, sand or other non-combustible absorbent and non-toxic and put in a identify hermetic contenenants. Use tools specific not produisants

sparks to retrieve the contaminated absorbent Contents.

Small spill: Absorb with sand, vermiculite or other absorbent material and remove to non-leaking container for

disposal.

Large spill: Surround area to prevent the material from entering water systems, sewers. Pick up the product into a

suitable container.

Disposal: Dispose in accordance with the regulations of the municipal, provincial and / or federal.



Section 7. Handling and storage

Precautions for safe handling

Protective measures:

Respiratory Protection: None required if handled under normal conditions. In case of inadequate ventilation a NIOSH

anti-dusts respirator shall be recommended.

Eye protection: Wear goggles.

Protective Gloves: Recommended.

General Ventilation: Recommended.

Protective Clothing: Wear appropriate impervious clothing so as to avoid contact with skin.

Advice on general: Eating, drinking and smoking should be prohibited in areas where this material is

Occupational hygiene handled, stored and processed. Workers should wash hands and face before

eating, drinking and smoking. Remove protective equipement before entering eating areas.

See also section 8 for additional information onhygiene measures.

Condition for safe storage: Store in accordance with local regulations. Store in original container protected from

Including any incompatibilities direct sunlight in a dry,cool and well-ventilated area,away from incompatible materials

(see Section 10) and food and drink. Keep container tightly closed and sealed until for use. Containers that have been opened must be carefully resealed and kept upright to prevent

leakage.Do not store in unlabeled containers.Use appropriate containment to avoid

environmental contamination.



Section 8 .Exposure controls/Personal protection.

Control parameters

Occupational exposure limits

Ingrdient Name	Titanium Dioxide
Exposure Limits	N/A

Appropriate engineering controls: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures,

local exhaust ventilation or other engineering controls to keep worker exposure to

airborne contaminants below any recommended or statutory limits.

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products, before

eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

Individual protection measures

Eye/Face Protection: Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133,

OSHA eye and face protection regulation, or the European standard EN 166.

Skin Protection Description: Chemical resistant gloves and chemical goggles, face shield

and synthetic apron or coveralls should be used to prevent contact with eyes, skin or

clothing.

Respiratory Protection: No protection in normal handling. Above the exposure limit, an approved respirator

is recommended by NIOSH.

Other Protective: Facilities storing or utilizing this material should be equipped with an eyewash facility and a

safety shower.





Section 10. Stability and reactivity

Physical Form: White liquid with mild odour.

PH: 8.0 – 9.0
Initial boiling point: 100° C
Freezing Point: 0° C

Evaporation Rate: 1 (Water = 1)
Solubility in water: Miscible
Vapour Pressure (mmHg): 17.5 (20° C)

Vapour Density (air=-1): NA

Specific Gravity: 1.410 ± 0.03

Section 9.Physical and chemical properties

Chemical stability: Stable

Possibility of hazardous: Under normal conditions of storage and use, hazardous reactions will not occur.

Reactions

Conditions to avoid: Avoid contact with incompatible substances.

Incompatible materials: Product reacting with water.

Hazardous decomposition: Carbon monoxide, carbon dioxide are produced on combustion.



Section 11. Toxicological information

Information on toxicological effects

Evaluation based: The information provided is based on tests and / or similar products, and / or components.

Ingredient Name	LD50 ORAL	LD50 Skin	CL50
Titanium Dioxyde	Rat : > 10 000 mg/ Kg	Rabbit : > 10 000 mg/ Kg	Rat: (/4 Hr)6.8 g/m3

Route of Entry: For liquids are ingestion and inhalation, but may include eye or skin contact.

Acute Potential Health Effects/Most important symptoms/Effects:

Eye contact: May cause irritation and redness to eyes but does not injure eye tissue. Wearing goggles is recommended

Inhalation: May be harmful if inhaled.

Skin contact: May be harmful in contact with skin.

Ingestion: May be harmful if swallowed Ingestion may cause gastrointestinal irritation,nausea,vomiting and diarrhea

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects: N/A
Potential delayed effects: N/A

Long term exposure:

Potential immediate effects: N/A
Potential delayed effects: N/A

Potential Chronic health effects

Carcinogenicity: (Titanium Dioxide): C.I.R.C Assessment: Titanium dioxide may be carcinogenic to humans (Group 2B).

Although C.I.R.C has classified titanium dioxide as possibly carcinogenic to humans (2B).

Also in the summary on the CNESST site it is stated that: No significant exposure to Titanium

Dioxide occurs during the use of products in which titanium dioxide is trapped in a

three-dimensional network such as in polymers, or In suspension in liquid media such as paints.

Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.



Section 12. Ecological information

Aquatic Ecotoxicology: N / A

Terrestrial ecotoxicology: N / A

Persistence and degradation: N / A

bioaccumulation potential: N / A

Mobility in soil: N / A

Other adverse effects: N / A

Section 13. Disposal considerations

Disposal methods: Dispose of in accordance with federal, state, provincial, and local regulations. Dry, empty

containers may be recycled in a can recycling program. Local requirements may vary, consult your sanitation department or state-designated environmental protection agency for more disposal

options.



Section 14. Transport information

	TDG
UN number	Not restricted as a dangerous good.
UN Proper shipping name	Not restricted as a dangerous good.
Transport hazards classes	Not restricted as a dangerous good.
Packing group	Not restricted as a dangerous good.
Enviromental hazards	No
Additional information	<u>Special provisions</u> Not applicable

Note: If it is necessary to ship this product by air way or sea, this safety data sheet (SDS) is void and not applicable.

Special precaution for user: Multi-modal shipping descriptions are provided for informational purposes and do not consider container sizes . The presence of a shipping description for a particular mode of transport(Sea,air,etc.), does not indicate that the product is packaged suitably for that mod of transport. All packaging must be reviewed For suitability prior to shipment, and compliance with the applicable regulations is the sole responsibility Prior of the person offering the product for transport. People loading and unloading dangerous goods must Be trained on all of the risks deriving from the substances and on all actions in case of emergency Situations.



Section 15. Regulatory inform	nation
-------------------------------	--------

Canada DSL:

All the ingredients are listed.

Section 16. Other information

Notice to reader

It is recommended that each customer or recipient of this safety Data Sheet (SDS) study it carfully and consult resouces, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurateas of the effective date herein. However, no warranty Express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can Change the composition, hazards locations and jurisdictions. The customer/Buyer/User is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the application section of this SDS without first referring to the supplier and obbtaining written handling indtructions. Due to the prolifection of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDS obtained from any other source.