

## SAFETY DATA SHEET

### SECTION 1 IDENTIFICATION

#### PRODUCT

**Product name:** Acrylic Series + Concrete Conditioner  
**Codes:** PE700203 • PE700204  
**Product description:** Powerful acid cleaner for concrete.  
**Restriction of use:** Use between 5 and 30°C.

#### COMPANY IDENTIFICATION

**Supplier:** Texnov inc  
839 Joseph-Louis-Mathieu  
Sherbrooke, Qc J1R 0X3  
**Phone number :** 819-820-1188 ( 8h30-16h30 Monday to Friday)  
**Emergency Phone Number:** 1-877-316-6388

### SECTION 2 HAZARD IDENTIFICATION

#### Pictograms



#### Warning statements

DANGER

#### Product classification

Skin corrosion - Category 1B  
Serious eye damage / eye irritation - Category 1  
Health hazards not otherwise classified - Category 1 Corrosive

#### Hazard statements

Causes severe skin burns and eye damage.  
Causes serious injury to the respiratory tract.

#### Precaution advice

**Prevention:** Do not breathe mist, vapors and spray. Wear protective gloves, protective clothing, eye and face protection. Wash hands thoroughly after handling and any other part of the body that may have been exposed to the product.

**Response:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a doctor.

**Storage:** Keep locked up.

**Disposal:** Dispose of contents/container in accordance with local

### SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS number	% (weight/weight)
Hydrochloric acid	7647-01-0	1 - 5
Sulfamic acid	5329-14-6	7 - 13
Citric acid	77-92-9	3 - 7

Based on current knowledge and applicable concentrations, there are no other ingredients in this product that are classified as hazardous by GHS and that should be reported in this section. The actual concentration range is withheld as a trade secret.

#### SECTION 4 FIRST AID MEASURES

**If swallowed, irritation, any type of overexposure or symptoms of overexposure occur during use of the product or persists after use, immediately contact a POISON CENTER, an EMERGENCY ROOM or a PHYSICIAN; ensure that the product safety data sheet is available.**

**Eye contact:** Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention as soon as possible.

**Skin contact:** Remove contaminated clothing immediately. Wash the skin with soap and water. Thoroughly wet contaminated clothing. If irritation persists, consult a doctor.

**Inhalation:** Move exposed person to fresh air. Keep this person warm and lying down. Loosen tight clothing such as a collar, tie, belt or waistband. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention immediately.

**Ingestion:** Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

**Symptoms:** This product is irritating and corrosive to skin, eyes, respiratory and digestive tracts. The severity of symptoms can vary depending on the exposure conditions (contact time, product concentration, etc.).

**Effects (acute or delayed):** If on skin, this product causes severe burns. Contact with eyes may cause redness, tearing, edema, pain, corneal opacity and even blindness. Inhalation, ingestion and high concentration exposure can cause severe burns and lead to severe lesions and ulcerations of the esophageal mucosa, airways leading to the lungs, gastrointestinal tract, mouth and digestive tract with possible perforation of the esophagus and stomach.

**Immediate medical attention and special treatment:** No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

#### SECTION 5 FIRE-FIGHTING MEASURES

**Suitable extinguishing media:** Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.

**Unsuitable extinguishing media:** Jets of water can facilitate the spread of fire.

**Specific hazards arising from the hazardous product:** May release dangerous fumes.

**Hazardous combustion products:** Nitrogen and sulfur oxides. Carbon monoxide and dioxide.

**Special protective equipment and precautions for fire-fighters:** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

**Personal precautions:** No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

**Protective equipment and emergency procedures:** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**Methods and materials for containment and cleaning up:** Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-

insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Use spark-proof tools and explosionproof equipment. Dispose of via a licensed waste disposal contractor.

**SECTION 7 HANDLING AND STORAGE**

**Precautions for safe handling:** Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Avoid exposure - obtain special instructions before use. Avoid contact with eyes, skin and clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. The handling of this product must comply with local regulations. Store in an airtight container located in a dry, well ventilated and soil corrosion resistant cemented. Refer to the storage of the ROHS standards and NFC. Keep away from combustible materials and bases. If the product is stored with other dangerous substances, refer to the NFC segregation table. Containers for corrosive substances shall be kept closed, carry clear identification of their contents and be handled with care. Note: this product attacks certain types of plastic, rubber or coating.

**Conditions for safe storage:** Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

**Incompatibility:** Bases. Nitrates and nitrites. Chlorine. Oxidizing agents. Reductive agents. Alkali and finely divided metals (Ba, Be, Na, P, Al, Mg etc).

**SECTION 8 EXPOSURE CONTROL / PERSONAL PROTECTION**

**CONTROL PARAMETERS:**

**Occupational Exposure Limits:**

Breathable dust	RSST		ACGIH TLV	
	VEMP	DIVS	TWA	STEL
Ingredient				
Hydrochloric acid	Not available	7.5 mg/m <sup>3</sup>	0.45 mg/m <sup>3</sup>	2.98 mg/m <sup>3</sup>
Sulfamic acid	Not available	Not available	Not available	Not available
Citric acid	Not available	Not available	Not available	Not available

RSST : Regulation respecting occupational health and safety; VEMP : Weighted average exposure value  
 DIVS : Immediate danger to life and health; ACGIH : American Conference of Governmental Industrial Hygienists  
 TLV : Threshold limit value; TWA : Time-weighted average; STEL : Short-term exposure limit

**Appropriate engineering controls:** Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

**Individual protection measures:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eyes:** DO NOT WEAR CONTACT LENSES Wear anti-splash safety goggles.

**Hands:** Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties.

**Respiratory:** If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**Others:** Wear protective clothing with long sleeves and appropriate safety shoes at all times.

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance:** Yellow liquid.

**Odor:** Low odor of ammonia.

**Odor threshold:** Not available

**pH:** -0.35

**Freezing point:** 0°C

**Boiling point:** 100°C.

**Evaporation rate:** Not available.

**Flammability (solid and gas):** Not applicable.

**Explosive limit:** Not applicable.

**Vapor pressure:** same as water

**Vapor density:** Not available.

**Relative density:** 1,06.

**Solubility in water:** may be diluted with water.

**Partition coefficient n-octanol / water:** Not available.

**Auto-ignition temperature:** Not applicable.

**Decomposition temperature:** Not available.

**Viscosity:** Not available.

**SECTION 10 STABILITY AND REACTIVITY**

**Reactivity:** Stable under recommended conditions of storage and handling.

**Chemical stability:** The product is chemically stable under normal conditions of use.

**Possibility of hazardous reactions:** No dangerous or polymerization reactions will not occur under normal conditions of use.

**Conditions to avoid:** Keep away from incompatible products (see section 7).

**Incompatible materials:** This product may attacks metals and can damage materials such as glass, fiberglass, ceramics, and cement.

**Hazardous decomposition products:** Nitrogen and sulfur oxides. Carbon monoxide and dioxide.

**SECTION 11 TOXICOLOGICAL INFORMATION**

**Routes of entry:** This product may be absorbed through the respiratory, digestive and cutaneous routes.

**Acute toxicity (calculated GHS):**

Ingredient	LD <sub>50</sub> oral, mg/kg	LD <sub>50</sub> skin, mg/kg	LC <sub>50</sub> , Vapours mg/L	LC <sub>50</sub> , Mist mg/L
Hydrochloric acid	N/A	> 5000	2.328	0.5
Sulfamic acid	2140	> 5000	N/A	> 5.00
Citric acid	11700	> 2000	N/A	> 5.00

**Routes of exposure:** This product is not absorbed in the body, it exerts a local action that destroys tissue.

**Symptoms:** This product is irritating and corrosive to skin, eyes, respiratory and digestive tracts. The severity of symptoms can vary depending on the exposure conditions (contact time, product concentration, etc.).

**Delayed and immediate effects:** If on skin, this product causes severe burns. Contact with eyes may cause redness, tearing, edema, pain, corneal opacity and even blindness. Inhalation, ingestion and high concentration exposure can cause severe burns and lead to severe lesions and ulcerations of the esophageal mucosa, airways leading to the lungs, gastrointestinal tract, mouth and digestive tract with possible perforation of the esophagus and stomach.

**Respiratory and skin sensitization:** This product is not a respiratory or skin sensitizer.

**Specific target organ toxicity:** Not available

**Carcinogenicity:** No substances classified for these carcinogenic effects are present in the product (according to IARC, ACGIH and NTP).

**IARC:** International Agency for Research on Cancer. **NTP:** National Toxicology Program

Reproductive toxicity: none

**Germ cell mutagenicity: none**

**SECTION 12 ECOLOGICAL INFORMATION**

**Ecotoxicology:** The product is easily biodegradable (DOB and COD).





**Bioaccumulative potential:** Not available.

**Volatile organic compounds (V.O.C.)** 0g / L.

**SECTION 13 DISPOSAL CONSIDERATIONS**

**Methods of disposal:** The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

**SECTION 14 TRANSPORT INFORMATION**

	DOT	TMD	IMDG	IATA
# UN	3264	3264	3264	3264
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid)
Transport hazard class	8 	8 	8 	8 
Packing group	II	II	II	II
Environmental hazard	No	No	No	No

DOT : Departement of Transportation (USA), TMD: Transport des Matières Dangereuses (CAN), IMDG : International Maritime Dangerous Goods, IATA : International Air Transport Association

**Exemption for limited quantity:** 1 L

In accordance with the Canadian Transport of Dangerous Goods regulations by Road, we use the 1.17 exemption when applicable. In accordance with 49 CFR article 172.315 for transportation by a mode other than air, we use the Limited quantities exemption when applicable.

**SECTION 15 REGULATORY INFORMATION**

WHMIS Classification 2015: Skin Corrosion - Category 1B, Serious Eye Damage - Category 1. The product classification and SDS have been developed in accordance with the HPR.

Canada

Ingredient	CAS number	%	DSL	NDSL	NPRI
Hydrochloric acid	7647-01-0	1 - 5	X		X
Sulfamic acid	5329-14-6	7 - 13	X		
Citric acid	77-92-9	3 - 7	X		

DSL : Domestic substance list, NDSL : Non-domestic substance list NPRI : National pollutant release inventory.

United States

Ingredient	CAS number	%	TSCA	PROP-65	Right to Know
Hydrochloric acid	7647-01-0	1 - 5	X		X
Sulfamic acid	5329-14-6	7 - 13	X		X
Citric acid	77-92-9	3 - 7	X		

TSCA : Toxic Substance Control Act, PROP-65: Proposition 65 Californie, Right to Know: Emergency planning and community Right-To Know Act.

<b>SECTION 16</b>	<b>OTHER INFORMATION</b>
-------------------	--------------------------

**SDS prepared by:** Texnov inc.

**Emergency telephone number:** 1-877-316-6388

**Revision Date:** 2022-07-07

**Warning:** The information and recommendations contained in this document have been written to the best of knowledge and technical data collected by Texnov Inc. at the time of the revision. This document is intended to inform users of the product about the precautionary measures when using the product. No warranty is given on the properties mentioned on the products. No liability will be assumed for cases of misuse of the product or failure to observe the safety instructions contained in this document.